


SDR 6.0


: PP-R 80 : PN20



		d	s	di	-	, /	, /	DN
: 4								
10006	16	16	2.7	10.6	0.088	0.110	10	
10008	20	20	3.4	13.2	0.137	0.171	12	
10010	25	25	4.2	16.6	0.216	0.266	15	
10012	32	32	5.4	21.2	0.353	0.427	20	
10014	40	40	6.7	26.6	0.555	0.660	25	
10016	50	50	8.3	33.4	0.876	1.054	32	
10018	63	63	10.5	42.0	1.385	1.697	40	
10020	75	75	12.5	50.0	1.963	2.328	50	
10022	90	90	15.0	60.0	2.826	3.415	60	
10024	110	110	18.3	73.4	4.229	5.150	65	
: 100								
10106	16	16	2.7	10.6	0.088	0.110	10	
10108	20	20	3.4	13.2	0.137	0.172	12	
10110	25	25	4.2	16.6	0.216	0.266	15	

SDR 7.4


: PP-R 80 : PN16



		d	s	di	- , /	, /	DN
	:	4					
10806	16	16	2.2	11.6	0.106	0.098	12
10808	20	20	2.8	14.4	0.163	0.152	15
10810	25	25	3.5	18.0	0.254	0.235	20
10812	32	32	4.4	23.2	0.423	0.375	25
10814	40	40	5.5	29.0	0.660	0.580	32
10816	50	50	6.9	36.2	1.029	0.905	40
10818	63	63	8.6	45.8	1.647	1.420	50
10820	75	75	10.3	54.4	2.323	2.020	50
10822	90	90	12.3	65.4	3.358	2.890	65
10824	110	110	15.1	79.8	4.999	4.320	80
	:	100					
10906	16	16	2.2	11.6	0.106	0.098	12
10908	20	20	2.8	14.4	0.163	0.148	15


SDR 11.0

: PP-R 80 : PN10
 :



		d	s	di	-	, /	, /	DN
	:	4						
10208	20	20	1.9	16.2	0.206	0.109	15	
10210	25	25	2.3	20.4	0.327	0.165	20	
10212	32	32	2.9	26.2	0.539	0.265	25	
10214	40	40	3.7	32.6	0.834	0.415	32	
10216	50	50	4.6	40.8	1.307	0.645	40	
10218	63	63	5.8	51.4	2.074	1.015	50	
10220	75	75	6.8	61.4	2.959	1.415	65	
10222	90	90	8.2	73.6	4.252	2.045	80	
10224	110	110	10.0	90.0	6.359	3.136	80	
10226	125	125	11.4	102.2	8.199	3.927	100	
	:	5,80						
10230	160	160	14.6	138.0	13.430	6.416	125	
10234	200	200	18.2	163.6	21.000	9.000	150	
10238	250	250	22.7	204.6	32.861	15.540	200	
10242	315	315	28.6	257.8	0.000	0.000	0	
	:	100						
10308	20	20	1.9	16.2	0.206	0.109	15	
10310	25	25	2.3	20.4	0.327	0.158	20	
	:	50						
10312	32	32	2.9	26.2	0.539	0.257	25	


: PN20
 : PP-R 80+Al



		d	s	di	sg	dg	- , /	, /	DN
	:	4							
70206	16	16	1.9	12.2	0.0	0.0	0.000	0.000	0
70208	20	20	2.3	15.4	0.0	0.0	0.000	0.000	0
70210	25	25	2.8	19.4	0.0	0.0	0.000	0.000	0
70212	32	32	3.6	24.4	0.0	0.0	0.000	0.000	0
70214	40	40	4.5	31.0	0.0	0.0	0.000	0.000	0
70216	50	50	5.6	38.8	0.0	0.0	0.000	0.000	0
70218	63	63	7.1	48.8	0.0	0.0	0.000	0.000	0
70220	75	75	8.4	58.2	0.0	0.0	0.000	0.000	0
70222	90	90	10.1	69.8	0.0	0.0	0.000	0.000	0
70224	110	110	12.3	85.4	0.0	0.0	0.000	0.000	0

SDR 7.4


: PN20
 : PP-R 80+Al



	d	s	di	sg	dg	- , /	, /	DN
4								
70806	16	2.2	11.6	3.1	17.8	0.106	0.144	12
70808	20	2.8	14.4	3.7	21.9	0.163	0.216	15
70810	25	3.5	18.0	4.5	27.0	0.254	0.296	20
70812	32	4.5	23.0	5.5	34.1	0.415	0.471	25
70814	40	5.6	28.8	6.7	42.2	0.651	0.739	32
70816	50	6.9	36.2	8.0	52.3	1.029	1.025	40
70818	63	8.7	45.6	9.9	65.4	1.632	1.610	50
70820	75	10.4	54.2	11.6	77.4	2.306	2.197	50
70822	90	12.5	65.0	14.0	93.0	3.317	3.226	65
70824	110	15.2	79.6	17.0	113.6	4.974	4.735	80
100								
70856	16	2.2	11.6	3.1	17.8	0.106	0.150	12

SDR 7.4


: PP-R 80 : PN20



		d	s	di	- , /	, /	DN
	:	4					
70708	20	20	2.8	14.4	0.163	0.158	15
70710	25	25	3.5	18.0	0.254	0.246	20
70712	32	32	4.4	23.2	0.423	0.394	25
70714	40	40	5.5	29.0	0.660	0.613	32
70716	50	50	6.9	36.2	1.029	0.955	40
70718	63	63	8.6	45.8	1.647	1.500	50
70720	75	75	10.3	54.4	2.323	2.135	50
70722	90	90	12.3	65.4	3.358	3.058	65
70724	110	110	15.1	79.8	4.999	4.576	80
70726	125	125	17.1	90.8	6.472	5.891	0
	:	5,80					
70730	160	160	21.9	116.2	10.599	9.538	125
70734	200	200	27.4	145.2	16.558	15.051	150
70738	250	250	34.2	181.6	25.901	23.479	175

SDR 11.0


: PP-R 80 C : PN10



		d	s	di	- , /	, /	DN
	:	4					
2010208	20	20	1.9	16.2	0.206	0.110	15
2010210	25	25	2.3	20.4	0.327	0.167	20
2010212	32	32	2.9	26.2	0.539	0.265	25
2010214	40	40	3.7	32.6	0.834	0.415	32
2010216	50	50	4.6	40.8	1.307	0.643	40
2010218	63	63	5.8	51.4	2.074	1.014	50
2010220	75	75	6.8	61.4	2.959	1.414	65
2010222	90	90	8.2	73.6	4.252	2.045	80
2010224	110	110	10.0	90.0	6.359	3.028	80
2010226	125	125	11.4	102.2	8.199	3.928	100
	:	5,80					
2010230	160	160	14.6	130.8	13.430	6.420	125
	:	100					
2010308	20	20	1.9	16.2	0.206	0.107	15
2010310	25	25	2.3	20.4	0.327	0.164	20
	:	50					
2010312	32	32	2.9	26.2	0.539	0.265	25

SDR 7.4


: PP-R 80 C : PN20



		d	s	di	- , /	, /	DN
	:	4					
2070708	20	20	2.8	14.4	0.163	0.159	15
2070710	25	25	3.5	18.0	0.254	0.248	20
2070712	32	32	4.4	23.2	0.423	0.397	25

SDR 11.0

: PP-R 80 C : PN10



		d	s	di	- , /	, /	DN
	:	4					
2070112	32	32	2.9	26.2	0.539	0.281	25
2070114	40	40	3.7	32.6	0.834	0.435	32
2070116	50	50	4.6	40.8	1.307	0.675	40
2070118	63	63	5.8	51.4	2.074	1.065	50
2070120	75	75	6.8	61.4	2.959	1.482	65
2070122	90	90	8.2	73.6	4.252	2.145	80
2070124	110	110	10.0	90.0	6.359	3.175	80
2070126	125	125	11.4	102.2	8.199	4.118	100
	:	5,80					
2070130	160	160	14.6	130.8	13.430	6.728	125
2070134	200	200	18.2	163.6	21.000	10.480	150
2070138	250	250	22.7	204.6	32.861	16.300	200
2070142	315	315	28.6	257.8	0.000	0.000	250
2070144	355	355	32.2	290.6	0.000	0.000	0